

Ø

/
Ø

:

Ù

Ù

Ù

Ù

Ù Ù

Ù

Ù

Ù

Ù

Ù

Ù

Patient Privacy in Environmental Context of General Hospitals , Assessment Local Reality

Ghada mohammed yonis
Assistant lecturer

Abstract:

The Environmental Context of General Hospital is one of The Composite and Complex Physical Environments , Which Integrate and Combine Multifunction and Diverse forms of Human Behavior , Patient Privacy as Concept , Determined by Surrounding Social / Physical Therapeutic Environment .

This Article Represent The Effects Both of Social Environment Which Interface Patient and Physical Characteristics of Therapeutic Environments , by Testing Three Types of Wards in AL-SALAM General Hospital in Mosul , The Results Indicates The Manipulation of Physical Environment to Get Accepted Level of Patient Privacy Dose not Works Without Consider Social Interaction Between Patients Together , Medical Staff and Visitors Where Those Have Affects in Patient Assessment of Privacy Level.

Key words: privacy, general Hospital

:

[1]

home like

[2]

psych-social / [3]

[3]

[3]

/ [3]

:

Privacy :

[4]"

[4]

[4]

Westin (1970) [6]

: Intimacy . : Solitude

: Anonymity. Ù
 : Reserve Ù
 Westin Ù
 .[6] Ù
 Personal Space , Territoriality :
 (1975) Irwin , Ù
 .[6] Ù
 .[5] Ù
 Proxemics Ù
 .[4] Ù
 (1) Ù
 . [6] Ù
 () Ù
 .[6] Ù



(1) Ù

Patient Privacy:

Ù
 Ù .[5]
 Ù Ù .[5] Ù
 Ù Ù Ù Ù :
 Lang Ù .[5]
 Ù

[7] \dots
 [7] \dots
 :
 :
 \emptyset
 (1-1)
 [4] \dots
 [3] \dots
 [4] \dots
) \dots
 (\dots
 [3] \dots
 [3] \dots
 \dots

:

(1-2)

\cup :
 \cup : \cup :
 \cup :
 \cup :
 \cup :
 \cup :

[8]

(1-3)

\cup : \cup \cup : \cup :
 \cup : \cup \cup : \cup :
 \cup : \cup \cup : \cup :
 \cup : \cup \cup : \cup :

Visual Privacy

Auditory Privacy

\cup

\cup

[9]

\cup

\cup

\cup

\cup

\cup

[9]

\cup

:

\emptyset

\cup

\cup

\cup

[1]

\cup

\cup

\cup :

[1]

(2-1)

[4]

\cup

Modulated

\cup

\cup

[2]



\cup

\cup

\cup

,

,



:

Ù

Ù

Ù

Ù

(Likert)

:

Ù

Ù

(28)

Ù

Ù

Ù

à

Ù

(Factor Analysis)

Ù

(SPSS)

Ù

(V8₁₀ - V8₁)

(V₇ - V₁)

Õ Ù

(V12₄ - V12₁)(V11₉ - V11₁) (V10₃ - V10₁) (V9₅ - V9₁)

Ù

Ù

Ù

:

(1)Ù : (4)

.1

, ()()

:

(3.55)

%60.9

(2.42) %41.8

Ù

(3.4) %50.3 ,

Ù

%32.3 ,

(3.8) %34.14 ,

(3.15) %48.2 ,

Ù

(2.7)

(3.4) %51.1 ,

(1.7) %71.4 ,

(2.5) %43.1 ,

(2.4) %41.9

(3.28) %58.1 , Ù

(1.7) %72.4 ,

(2.1) %83.7 ,
 (1.5) %68.1 ,

(2) Û : (6) .2
 , () ()
 :
 (3.7) %74.3
 (3.7) %53.3 , (4.14) %67.2
 (2.5) %48.1 , Û
 (4.1) %58.3 ,
 (2.4) %51.2 , Û
 (2.9) %51.6 ,
 (4.2) %65.5 , (3.83) %81.5 ,
 .(Û (3.1) %76.7 , (3.1) %61.7
 (3.2) %50.9 , (3.8) %49.8 ,
 (3.2) %60.1 , Û
 .Û
 (3) Û : Û .3
 , () ()
 :
 %50.1 , (4.8) %59.2
 (4.2) %59.1 , (3.4)
 (4.4) %48.8 , Û
 (4.2) %60.1 ,
) (3.8) %70.1 ,
 Û (4.1) %62.2 , (Û
 (4.2) %72.5 , (4.2) %72.5 , (Û
 (3.11) %47.8 ,
 (2.8) %57.2
 : .4
 (V1 – V7)
 Û , (V8 – V12)
 (4) Û :
 (V8₁ – V1) (0.02) (0.52) .1
 (0.1) (0.28) (V8₄ – V1) (0.01) (0.37)

- 5
- 6
1. Kliment, Stephen.A, "Building Type Basics for Healthcare Facilities", John Wiley & Sons, Inc/New York, 2000.pp(150-157).
 2. Horsburgh, Robert, "Healing by Design" New England Journal of Medicine, September, 14, 1995 .
 3. Clipson, Colin.W., "Planning for Cardiac Care", University of Michigan, 1973, pp(57-60).
 4. Canter, David, "Designing for therapeutic Environments" John Wiley & Sone, New York, 1979, pp(190-195), p289, p120.
 5. Bednar, Michale J., "Barrier, Free Environments", University of Virginia, 1977, pp(177-184).
 6. Lang, Jon, "Creating Architectural Theory" Van Nostrand Relnhold Company, New York, 1987, pp(145-155).
 7. Lang, Jon, "Designing for Human Behavior" University of Pennsylvania, 1974, pp(60-71).
 8. Staker, David, "Privacy and Dignity", Macclesfield District General Hospital, Patient Environment Assessment Teams, January_May. 2003, Peter.Williamson@Echeshire-tr.nwest.nhs.uk.
 9. Hill Country Memorial Health System, "Patient Privacy Policy" Fredericksbury, Texas, December 9, 1998.
 10. Shoshkes, Lila, "Space Planing", Architectural Record Books, New York, 1976, pp(103-106).

:

		(4)				(1)Û				
	%		%		%		%		%	
				2.72	30.69					V8 ₁
		3.55	60.92							V8 ₂
						2.42	41.85			V8 ₃
2.71	32.31									V8 ₄
						2.67	39.82			V8 ₅
								2.73	30.91	V8 ₆
		3.14	50.31							V8 ₇
				3.81	34.14					V8 ₈
						1.85	41.73			V8 ₉
				2.01	46.32					V8 ₁₀
		3.15	48.21							V9 ₁
				3.42	51.14					V9 ₂
						1.8	60.12			V9 ₃
						2.21	45.34			V9 ₄
				3.28	49.31					V9 ₅
		3.57	52.12							V10 ₁
						1.7	71.42			V10 ₂
				3.43	45.16					V10 ₃
						2.4	41.93			V11 ₁
						2.2	39.14			V11 ₂
						2.5	43.14			V11 ₃
						1.85	85.41			V11 ₄
						1.71	72.41			V11 ₅
		3.28	31.15							V11 ₆
		3.28	58.13							V11 ₇
								2.11	42.81	V11 ₈
								2.25	30.16	V11 ₉
						2.12	83.71			V12 ₁
				2.5	57.14					V12 ₂
				2.41	52.85					V12 ₃
								1.50	68.11	V12 ₄

(6)

(2)Ù

	%		%		%		%		%	
		3.71	74.32							V8 ₁
4.14	67.02									V8 ₂
				2.85	32.87					V8 ₃
				2.7	53.32					V8 ₄
				2.52	48.14					V8 ₅
				3.00	52.31					V8 ₆
4.1	58.97									V8 ₇
3.82	44.52									V8 ₈
						2.28	68.72			V8 ₉
				2.42	51.14					V8 ₁₀
		3.12	31.32							V9 ₁
		2.91	51.67							V9 ₂
						2.10	71.42			V9 ₃
						2.28	69.31			V9 ₄
		3.83	81.52							V9 ₅
4.2	65.5									V10 ₁
						2.14	51.31			V10 ₂
				2.81	38.92					V10 ₃
		3.11	61.72							V11 ₁
		2.71	76.42							V11 ₂
		3.84	49.81							V11 ₃
				2.28	28.5	2.28	28.5			V11 ₄
						2.01	70.14			V11 ₅
		3.2	60.12							V11 ₆
				2.81	48.82					V11 ₇
						2.61	62.78			V11 ₈
				2.4	47.1					V11 ₉
						2.51	39.92			V12 ₁
				3.42	42.85					V12 ₂
				3.11	50.9					V12 ₃
						2.29	60.91			V12 ₄

:

		Û				(3)Û				
	%		%		%		%		%	
		3.11	43.2							V8 ₁
4.8	59.28									V8 ₂
		3.4	50.19							V8 ₃
		4.21	59.14							V8 ₄
4.41	48.8									V8 ₅
				3.1	42.86					V8 ₆
4.31	49.81									V8 ₇
4.21	60.13									V8 ₈
						2.12	38.81			V8 ₉
						1.81	42.86			V8 ₁₀
						2.80	57.14			V9 ₁
		3.5	43.12							V9 ₂
				2.12	44.21					V9 ₃
						2.41	39.14			V9 ₄
4.22	47.71									V9 ₅
		3.8	70.14							V10 ₁
						2.7	42.18			V10 ₂
4.1	62.18									V10 ₃
4.2	72.51									V11 ₁
				3.22	58.21					V11 ₂
		4.2	72.55							V11 ₃
						2.42	51.89			V11 ₄
								2.23	42.1	V11 ₅
3.11	47.8									V11 ₆
		3.91	49.21							V11 ₇
								2.51	28.5	V11 ₈
						2.61	31.32			V11 ₉
								2.55	42.11	V12 ₁
				2.8	57.24					V12 ₂
				2.4	42.14					V12 ₃
								1.44	75.39	V12 ₄

SPSS

(4) \hat{U}

V7		V6		V5		V4		V3		V2		V1		
r		r		r		r		r		r		r		
				0.18	0.7	0.13	0.3	0.18	0.02			0.52	0.02	V8 ₁
0.11	0.02									0.49	.007			V8 ₂
														V8 ₃
										0.54	.003	0.37	0.01	V8 ₄
								-0.19	0.2					V8 ₅
						-0.16	0.5					0.11	0.2	V8 ₆
0.76	.003													V8 ₇
				-0.83	.004							0.28	0.1	V8 ₈
														V8 ₉
-0.21	0.5									-0.13	0.1			V8 ₁₀
														V9 ₁
		-0.75	.002					0.52	.002			-0.21	0.3	V9 ₂
				-0.19	0.8									V9 ₃
														V9 ₄
						0.22	0.7							V9 ₅
										-0.25	0.6			V10 ₁
												-0.12	0.4	V10 ₂
		-0.48	0.02					0.38	0.1					V10 ₃
0.81	0.03			-0.48	0.03							0.83	.001	V11 ₁
														V11 ₂
						-0.12	0.3			0.42	0.03			V11 ₃
														V11 ₄
		0.24	0.9					0.22	0.3					V11 ₅
												0.27	0.11	V11 ₆
														V11 ₇
0.17	0.9									0.17	0.3			V11 ₈
				-0.11	0.6									V11 ₉
								-0.15	0.5			0.17	0.5	V12 ₁
-0.14	0.4													V12 ₂
						0.17	0.01							V12 ₃
												0.21	0.5	V12 ₄

: Û Û . (V9₅ – V9₁)

					Û

: Û . (V10₃ – V10₁)

					Û
					Û
					Û Û

(V11₉ – : Õ Õ Õ : .2
V11₁)

					Û
					Û
					()

:Û . (V12₄ – V12₁)

					Û
					Û

: Û .3

